



# REITECH CORPORATION

3146 Marion Avenue, Reading, Pa. 19605  
Phone: 610-929-9451 E-mail: [info@reitechcorporation.com](mailto:info@reitechcorporation.com)

---

## R170R978 NAPHTHOL RED F3RK - YELLOW SHADE (PR-170) DISPERSION

R170R978 Naphthol Red - yellow shade is a highly pigmented, finely ground resinated dispersion with a yellowish red hue, very brilliant and strong. Dispersions derived from this pigment family generally exhibit superior chemical resistance, reduced solubility and improved light fastness.

Its major uses are for printing inks, interior industrial finishes, emulsion and masonry paints, artistis colors and other applications requiring high pigmentation levels.

Generic Name:	CI Pigment Red 170
Constitution Number:	CI 12475
Common Name:	Naphthol Red F3RK
CAS#:	2786-76-7

Pigment Type:	Organic
Resin Type:	None
Dispersing Agent:	Nonionic
Percent Pigment:	36%
pH:	9.0 - 9.5
Total Solids:	46.8% ± 2%
VOC:	0.32% typical
Specific Gravity:	1.15 +/-5%
Weight per gallon:	9.55 #/Gallon +/-5%

DISCLAIMER: SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States patent. Buyer must assume responsibility for the determination of the suitability of the product for uses and applications contemplated by the Buyer or any applications or use of the buyer's customer. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether based on contract, breach of warranty, negligence or otherwise, shall be greater in amount than the purchase price of the quantity of the product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.