



# REITECH CORPORATION

3146 Marion Avenue, Reading, Pa. 19605  
Phone: 610-929-9451 E-mail: [info@reitechcorporation.com](mailto:info@reitechcorporation.com)

---

## R266R808 Blue Shade Naphthol Red (PR-266) Dispersion

R266R808 BS Naphthol Red is a highly pigmented, finely ground dispersion with a bright bluish red hue. Dispersions derived from this pigment exhibit excellent chemical resistance, and bright, strong color.

Its major uses are for printing inks, lacquers, textiles, crayons and artists' colors.

Generic Name:	C.I. Pigment Red 266
Constitution #:	12474
Common Name:	BS Nap Red, Nap Red 2R
CAS#:	36968-27-1

Pigment Type:	Organic
Resin Type:	Acrylic
Dispersing Agent:	Nonionic
Percent Pigment:	32.5%
pH:	8.8 - 9.5
Total Solids:	41.7% $\pm$ 2%
VOC:	0.67% typical
Specific Gravity:	1.14 $\pm$ 5%
Weight per gallon:	9.46#/Gallon $\pm$ 5%

DISCLAIMER: SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, and CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States patent. Buyer must assume responsibility for the determination of the suitability of the product for uses and applications contemplated by the Buyer or any applications or use of the buyer's customer. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether based on contract, breach of warranty, negligence or otherwise, shall be greater in amount than the purchase price of the quantity of the product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.